

"NOV 1 0 2003

TECH CENTER 1600/2800

RAW SEQUENCE LISTING ERROR REPORT



The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number:	09/889.845
Source:	1600
Date Processed by STIC:	11/6/03

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.
PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
- TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION AND PATENTIN SOFTWARE QUESTIONS, PLEASE CONTACT MARK SPENCER, TELEPHONE: 703-308-4212; FAX: 703-308-4221

Effective 12/13/03: TELEPHONE: 571-272-2510; FAX: 571-273-0221

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE <u>CHECKER VERSION 4.1 PROGRAM</u>, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:

http://www.uspto.gov/web/offices/pac/checker/chkr41note.htm

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail.

Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom.

Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

- 1. EFS-Bio (http://www.uspto.gov/ebc/efs/downloads/documents.htm, EFS Submission User Manual ePAVE)
- 2. U.S. Postal Service: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450
- Hand Carry directly to (EFFECTIVE 12/01/03):
 U.S. Patent and Trademark Office, Box Sequence, Customer Window, Lobby, Room 1B03, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202
- 4. Federal Express, United Parcel Service, or other delivery service to: U.S. Patent and Trademark Office, Box Sequence, Room #B03-Mailroom, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202

Revised 10/08/03

delete

4	<110> Nissui Pharmaceutical Co., Ltd.	्राध्यक्ष 🖖 👶		
	<120> Cyclo dodecapeptide and aids vaccine			-
		Contacted Dietet		ve
3	<130> NSM003422PCT <160> 3 <210> 1 <211> 12 Iglain Alus on (2237 line, FYI:	6 1.1 K .	L sow	ree
	<160> 3	peptide is u	sufficient.	
•	<210> 1 Qualan Thus on 2223/ 2002. 1 32.	them a second	J ₁	-
	<211> 12) 14) 12) 14) 15) 17) 17) 17) 17) 17) 17) 17			٠
	<212> PRT		atte Needer	terio
	<213> Artificial Sequence ever wrent a response <220> peptide delia never wrent a response		IA6909(J	
•		6-12207. elf	41. a hoader	•
	<300>		A De Markey	
-	<301> Shozo Shoji	(A) 1	on/y.	
•	<302> Synthesis of Cyclo-oligo peptide and its biologi	cal(ai), do yo	u d'	
(ctivity)7			
`	303> Japan Pharmacology Academy Kyushu branch Mass me	eting Mean	1 .	
	Lecture summary collection			
	<306> 43	^ \ac	tivity"!	
0 A A	<307> 1998-11-10 24007 I			
يتلعل الر	Arg Asp Asp Ala Glu Gly Glu Lys Gln Ser Asp Gly		•	
	-шешешешешешешешешеш е 5 ыешешешешешешеше 10	\mathcal{O}		٠.
	<210> 2	markers V-	lesse	
	<211> 5 delete These involved	marcine V-		,
	<212> PRT	Q,	sure ares	5
	<213> Artificial Sequence Pyplan		M. Carles	
. 0	<213> Artificial Sequence April (2237 line) (2237 line)	ae	id number	
سي للعلاون	-400> Glu Ala Asp Asp Arg		all and proper	odu
	, 5	· We	aligned proper	~ <u></u>
	<210> 3	Ω	1 L M	1
	<211> 5 <212> PRT Applain on (2237 leve	$V_{\mathcal{O}}$	Lot use TA	
	<212> PRT Appear of CECIT ACC	, ,		
	<213> (Artificial Sequence)	A	la letween	
	(220) peptide (2400) Ser Gln Lys Glu Gly (4007 3	Coo		1
ر خا	Ser Gln Lys Glu Gly الا لاكاكار) Ser Gln Lys Glu Gly	. 4	ins acid rumb	m
1 1 July	5	an	-70	
فللوال	<220> peptide (220> peptide) (4007 3) 400> Ser Gln Lys Glu Gly 5			

1) Corsult Sequerce Ruler for VALID format. 2) see tem 11 on Error Summary Sheet.